### **PROJECT:**

PROPOSED NEW 1 UNIT STANDARD DESIGN OF FARM LABOUR QUARTERS, BRUNEI DARUSSALAM (FOR 10 PERSONS)

### **CLIENT:**

DEPARTMENT OF AGRICULTURE AND AGRIFOOD, **BRUNEI DARUSSALAM** 

### **ADDRESS:**

N/A

Printed:	3/9/2022 10:04:26 AM
Paper size:	A3-LV
Project Status	Schematic Design
Project Date	18/08/2022

No	Description	Date



Department of Agriculture & Agrifood, BD

Project Name And Address

PROPOSED NEW 1 UNIT STANDARD DESIGN OF FARM LABOUR QUARTERS, BRUNEI DARUSSALAM (FOR 10

PERSONS)

Drawing Name

**COVER PAGE & DRAWING NOTES** 

Designed By	KHS	
Drawn By	KHS,SHA	
Checked By	AQI	
Scale	1:20	
Date	08/31/22	
Project No	Sheet No	Rev.
DD120	1	


### **DRAWING NOTES**

- The following designs were developed up to Working Drawing (with pre-approval from ABCi for building design/TBC) and are considered as sufficient for Authority Submission.
- 2. No sites were allocated for the units at this stage. Therefore, once a site is allocated, Applicant(s) will need to appoint Qualified Person(s) to include the additional drawing information.
- 3. These changes and/or additional information will need to be included in the relevant drawings as per required by the Authority.
- These changes and/or additional information will be subjected to the approval of Client, Department of Agriculture and Agrifood, Brunei Darussalam.
- All development applications for the units will require a Qualified Person(s) to be appointed for the process of applying for:
  - Planning Approval (including Infrastructure Submission –applicable for 1 unit development)
  - **Building Approval**
  - Permit to Start Construction
  - Occupational Permit

### **SYMBOLS**

DOOR TAG	SECTI

SECTION MARKER



**GRAPHICAL SCALE BAR** 

### **ABBREVIATIONS**

RL DP FT GT MH FFL CL T.B.C NGL	Roofline Downpipe Floor Trap Gully Trap Manhole Final Floor Level Ceiling Level To Be Confirmed Natural Ground Level	AW LV FG SHR NTS APPROX AVG R.C EXT	Aluminum Awning Window Aluminum Louvre Window Fixed Glass Shower Not to Scale Approximate Average Reinforced concrete Existing
OHC	Overhead Cupboard	QTY	Quantity
WMS	Washing Machine Space	RM	Room
W.I.R	Walk-in-Robe	BDRM	Bedroom
SGD	Sliding Glass Door	SPEC	Specification
SW DH	Aluminum Sliding Window Aluminum Double Hung Window	TYP	Typical



**ROOM NAME** 

10 m<sup>2</sup>

WINDOW TAG


**ROOM TAG** 



**GRID MARKER** 

**NORTH POINT & KIBLAT** 

DRAWING LIST				
No.	Sheet Number	Sheet Name	Sheet Issue Date	Sheet Scale
1	1	COVER PAGE & DRAWING NOTES	08/31/22	1:20
2	A1	DRAWING LIST & SITE 08/16/22 1 : 200 DEVELOPMENT PLAN		1:200
3	B1	GROUND FLOOR PLAN & ROOF PLAN	08/16/22	1:100
4	C1	GROUND FLOOR CEILING	08/17/22	1:100
5	D1	FRONT & REAR ELEVATION	08/16/22	1:100
6	D2	LEFT & RIGHT ELEVATION	08/16/22	1:100
7	E1	SECTION A-A & SECTION B-B	08/16/22	1:100
8	F1	WINDOW SCHEDULE	08/27/22	1:50
9	F2	DOOR SCHEDULE	08/27/22	1:50
10	F3	IRONMONGERY SCHEDULE	09/02/22	1:50
11 F4 VENTILATION & MATERIAL 08/27/22 As indic		As indicated		
12	G1	TB DETAILS	08/29/22	1:50
13	G2	CUBICLE WALL PARTITION DETAILS	09/02/22	As indicated
14	G3	KITCHEN & SHOE WASHING AREA DETAILS	08/30/22	As indicated
15	G4	DOOR JAMB, TYPICAL DPC, GUTTER AND SURFACE DRAIN DETAILS	08/29/22	As indicated
16	K1	GROUND FLOOR ELECTRICAL LAYOUT PLAN	09/02/22	1:100
17	P1	ROOM PLAN & FURNITURE SCHEDULE	08/31/22	As indicated



Printed:	9/14/2022 9:16:58 AM
Paper size:	A3-LV
Project Status	Schematic Design
Project Date	18/08/2022
Project Date	10/00/2022

Notes

)	Description	Date



Contact No: 2610380

Client Name and Approved by:

Department of Agriculture & Agrifood, BD

Project Name And Address

PROPOSED NEW 1 UNIT STANDARD DESIGN OF FARM LABOUR QUARTERS, BRUNEI DARUSSALAM (FOR 10 PERSONS)

Drawing Name


DRAWING LIST & SITE DEVELOPMENT PLAN


Designed By	KHS	
Drawn By	KHS,SHA	
Checked By	AQI	
Scale	1:200	
Date	08/16/22	
Project No	Sheet No	Rev.
PR120	A1	


<b>SITE DEVELOPMENT</b>
0041 = 4.000


**SCALE 1:200** 

1:200 @	A3		
0	4	10	20 m










## LEFT ELEVATION SCALE 1:100



## RIGHT ELEVATION SCALE 1:100

Printed:	3/9/2022 10:04:34 AM
Paper size:	A3-LV
Project Status	Schematic Design
Project Date	18/08/2022

No	Description	Date



Contact No: 2610380

Khalid Haji Sirat BG 3122
Registeration No: 004 14-01

Client Name and Approved by:

Department of Agriculture & Agrifood, BD

Project Name And Address


PROPOSED NEW 1 UNIT STANDARD DESIGN OF FARM LABOUR QUARTERS, BRUNEI DARUSSALAM (FOR 10 PERSONS)

Drawing Name


LEFT & RIGHT ELEVATION

Designed By	KHS			
Drawn By	KHS,SHA			
Checked By	AQI			
Scale	1:100			
Date	08/16/22			
Project No	Sheet No	Rev.		
PR120	D2			

Date



# WINDOW SCHEDULE SCALE 1:50



CODE	Nos	Location	Level	Sill Height	Width	Height	Description
W1	6	COMMON AREA	GF LEVEL	900	1200	1200	TWO PANEL SLIDING ALUMINIUM FRAMED WINDOW W/6MM THK. CLEAR GLASS W/ MOSQUITO NET COVER COMPLETE W/ ACCESSORIES TO MANUFACTURERS DETAILS
W1	1	ROOM 1	GF LEVEL	900	1200	1200	TWO PANEL SLIDING ALUMINIUM FRAMED WINDOW W/6MM THK. CLEAR GLASS W/ MOSQUITO NET COVER COMPLETE W/ ACCESSORIES TO MANUFACTURERS DETAILS
W1	1	ROOM 2	GF LEVEL	900	1200	1200	TWO PANEL SLIDING ALUMINIUM FRAMED WINDOW W/6MM THK. CLEAR GLASS W/ MOSQUITO NET COVER COMPLETE W/ ACCESSORIES TO MANUFACTURERS DETAILS
W1	1	ROOM 3	GF LEVEL	900	1200	1200	TWO PANEL SLIDING ALUMINIUM FRAMED WINDOW W/6MM THK. CLEAR GLASS W/ MOSQUITO NET COVER COMPLETE W/ ACCESSORIES TO MANUFACTURERS DETAILS
W1	1	ROOM 4	GF LEVEL	900	1200	1200	TWO PANEL SLIDING ALUMINIUM FRAMED WINDOW W/6MM THK. CLEAR GLASS W/ MOSQUITO NET COVER COMPLETE W/ ACCESSORIES TO MANUFACTURERS DETAILS
W1	1	ROOM 5	GF LEVEL	900	1200	1200	TWO PANEL SLIDING ALUMINIUM FRAMED WINDOW W/6MM THK. CLEAR GLASS W/ MOSQUITO NET COVER COMPLETE W/ ACCESSORIES TO MANUFACTURERS DETAILS
W2	5	T&B	GF LEVEL	1800	500	500	TOP HUNG ALUMINIUM FRAMED WINDOW W/6MM THK. CLEAR GLASS W/ MOSQUITO NET COVER COMPLETE W/ ACCESSORIES TO MANUFACTURERS DETAILS

WINDOW SCHEDULE

Printed:	21/9/2022 4:31:26 PM
Paper size:	A3-LV
Project Status	Schematic Design
Project Date	18/08/2022

Notes

No	Description	Date



Contact No: 2610380

Client Name and Approved by:

Department of Agriculture & Agrifood, BD

Project Name And Address


PROPOSED NEW 1 UNIT STANDARD DESIGN OF FARM LABOUR QUARTERS, BRUNEI DARUSSALAM (FOR 10 PERSONS)

Drawing Name

WINDOW SCHEDULE

Designed By	KHS			
Drawn By	KHS,SHA			
Checked By	AQI			
Scale	1:50			
Date	08/27/22			
Project No	Sheet No	Rev.		
PR120	F1			

# DOOR SCHEDULE SCALE 1:50



	DOOR SCHEDULE								
CODE	Nos	Location	Level	Width	Height	Description			
D1	1	COMMON AREA	GF LEVEL	900	2100	SINGLE LEAF SOLID FIRE RATED DOOR TO MANUFACTURER'S DETAIL			
D1	1	HALLWAY	GF LEVEL	900	2100	SINGLE LEAF SOLID FIRE RATED DOOR TO MANUFACTURER'S DETAIL			
D1	1	ROOM 1	GF LEVEL	900	2100	SINGLE LEAF SOLID FIRE RATED DOOR TO MANUFACTURER'S DETAIL			
D1	1	ROOM 2	GF LEVEL	900	2100	SINGLE LEAF SOLID FIRE RATED DOOR TO MANUFACTURER'S DETAIL			
D1	1	ROOM 3	GF LEVEL	900	2100	SINGLE LEAF SOLID FIRE RATED DOOR TO MANUFACTURER'S DETAIL			
D1	1	ROOM 4	GF LEVEL	900	2100	SINGLE LEAF SOLID FIRE RATED DOOR TO MANUFACTURER'S DETAIL			
D1	1	ROOM 5	GF LEVEL	900	2100	SINGLE LEAF SOLID FIRE RATED DOOR TO MANUFACTURER'S DETAIL			
D2	1	T&B	GF LEVEL	800	2100	SINGLE LEAF LAMINATED SOLID DOOR TO MANUFACTURER'S DETAIL AND ARCHITECT'S APPROVAL			

NOTES: ANY DOOR THAT OPEN DIRECTLY TO THE OUTSIDE SHALL BE PROVIDED WITH INSECT SCREEN TO MANUFACTURERS DETAIL AND SPECIFICATION

Printed:	3/9/2022 10:04:37 AM
Paper size:	A3-LV
Project Status	Schematic Design
Project Date	18/08/2022

Note

No	Description	Date



Contact No: 2610380

Architect's Signature

| Image: Control of the cont

Client Name and Approved by:

Department of Agriculture & Agrifood, BD

Project Name And Address

PROPOSED NEW 1 UNIT STANDARD DESIGN OF FARM LABOUR QUARTERS, BRUNEI DARUSSALAM (FOR 10 PERSONS)

Drawing Name

DOOR SCHEDULE

Designed By	KHS			
Drawn By	KHS,SHA			
Checked By	AQI			
Scale	1:50			
Date	08/27/22			
Project No	Sheet No	Rev.		
PR120	F2			

### **IRONMONGERIES SCHEDULE**

							HARDWAR	E SET		
					DORMA Stainless Steel Butt Hinge 2BB Stainless Steel, (4"x 3.0" x 2.5mm) or equivalent	DORMA Knob Type Lockset CK800 Series 60mm Grade 2 – US32D Finish CK 801 Entrance Function or equivalent	DORMA Knob Type Lockset CK800 Series 60mm Grade 2 – US32D Finish CK 803 Privacy Function or equivalent	ELITE 500 Door Stopper S066701 or equivalent	DORMA Barrel Bolt 2750x300MM SNP or equivalent	UNITY DGS01 stainless steel security door guard
	DOOR	WIDTH x HEIGHT	QTY	DOOR TYPE	H1	L1	L2	A1	A2	A3
	SCHEDULE	(mm)	ζ	DOOKTITE	HINGES	LOCK	SETS	ACCES	SSORIES	
GROUND FLOOR										
COMMON AREA	D1	900 x 2100mm	1	FIRE DOOR SINGLE	3	•		•		•
ROOM 1	D1	900 x 2100mm	1	FIRE DOOR SINGLE	3	•	•	•		
ROOM 2	D1	900 x 2100mm	1	FIRE DOOR SINGLE	3	•	•	•		
ROOM 3	D1	900 x 2100mm	1	FIRE DOOR SINGLE	3	•	•	•		
ROOM 4	D1	900 x 2100mm	1	FIRE DOOR SINGLE	3	•	•	•		
ROOM 5	D1	900 x 2100mm	1	FIRE DOOR SINGLE	3	•	•	•		
ТВ	D2	800 x 2100mm	1	LAMINATED SOLID DOOR SINGLE	3		•		•	

CODE	CATEGORIES	IMAGES
H1	HINGES	
L1	LOCKSE T	
L2	·	
NO.1		
NO.2	ACCESSORIE S	475
NO.3		

NOTES: BRAND MAY VARIES TO SUIT USER'S SAFETY AND THE ARCHITECT'S APPROVAL

Printed:	3/9/2022 10:04:38 AM
Paper size:	A3-LV
Project Status	Schematic Design
Project Date	18/08/2022

Notes

0	Description	Date



Contact No: 2610380

Architect's Signature

No. 65:rrpang 394-33-6idlan lenutong
86:3122

Registeration No: 004 14 Act

Client Name and Approved by:

Department of Agriculture & Agrifood, BD

Project Name And Address

PROPOSED NEW 1 UNIT STANDARD DESIGN OF FARM LABOUR QUARTERS, BRUNEI DARUSSALAM (FOR 10 PERSONS)

Drawing Name

IRONMONGERY SCHEDULE

Designed By	KHS	
Drawn By	KHS,SHA	
Checked By	AQI	
Scale	1:50	
Date	09/02/22	
Project No	Sheet No	Rev.
PR120	F3	

### VENTILATION SCHEDULE

ROOM/SPACE	AREA (MSQ)	VENT	ILATION	LIGHTING	WINDOWS &	MECHANICAL			
		REQUIRED	PROVIDED	PROVIDED	DOORS				
GROUND FLOOR									
COMMON ROOM	30 MSQ	3.0 MSQ	8.1 MSQ	6.7 MSQ	W1 (6), D1 (1)	SPLIT AC , CEILING FAN			
ROOM 1	12 MSQ	1.2 MSQ	1.4 MSQ	0.9 MSQ	W1 (1)	SPLIT AC , CEILING FAN			
ROOM 2	12 MSQ	1.2 MSQ	1.4 MSQ	0.9 MSQ	W1 (2)	SPLIT AC , CEILING FAN			
ROOM 3	12 MSQ	1.2 MSQ	1.4 MSQ	0.9 MSQ	W1 (2)	SPLIT AC , CEILING FAN			
ROOM 4	12 MSQ	1.2 MSQ	1.4 MSQ	0.1 MSQ	W1 (1)	EXHAUST FAN			
ROOM 5	12 MSQ	1.2 MSQ	1.4 MSQ	0.1 MSQ	W1 (1)	EXHAUST FAN			
T&B	12 MSQ	1.2 MSQ	0.6 MSQ	0.42 MSQ	W2 (3)	EXHAUST FAN			
HALLWAY	15 MSQ	1.5 MSQ	1.9 MSQ	-	D1 (1)	-			

### SANITARYWARE & FITTINGS SCHEDULE

MATERIAL	WATER CLOSET	LAVATORY	FAUCET		SHOWER FAUCET	PAPER HOLDER	TOWEL BAR	MIRROR	ANAL SPRAY / WASHLET	SINK	FLOOR TRAP	
CODE NO.	01	01	01	02	03	01	01	01	01	01	01	01
GROUND F	LOOR											
EXTERIOR	-	-	-	2	-	-	-	-	-	-	-	-
COMMON AREA	-	-	-	1	1	-	-	-	-	-	1	-
T&B	2	2	2	-	-	2	2	2	2	2	-	3
TOTAL	1	1	2	3	1	2	2	1	1	1	1	3

Τ	OTAL		1	
CODE	CATEGOR	RIES	IMAG	GES
NO.1	WATER CLOSE			7
NO.1	LAVATO	RY	*	
NO.1				
NO.2	FAUCE <sup>-</sup>	г	I	<b>*</b>
NO.3			77	
NO.1	SHOWE FAUCE		4	1000
NO.1	PAPER HOLDE			
NO.1	TOWEL B	AR	CHINESE STATES	STREET, STREET
NO.1	MIRROF	₹		
NO.1	SHOWE SPRAY WASHLE	/	0	ľu
NO.1	SINK		1	1
NO.1	FLOOF TRAP		砂	

	CODE	WATER CLOSET
	01	SHOWY "WASHDOWN" 2-PIECE CLOSET (630 X 440 X 775MM) S-trap, 250mm Roughing-in. p-trap, 180mm Rouching-in or equivalent
Г	CODE	LAVATORY
	01	SHOWY-6851 WASHBASIN C/W FULL PEDESTAL (520 X 440 X 800MM) or equivalent
Γ	CODE	FAUCET
	01	SHOWY-3006 "HIGHWAY" EXCLUSIVE S/L BASIN MIXER C/W SWIVEL SPOUT Stock Code: SHOWY-3006-000 or equivalent
	02	SHOWY-2908 "BUTTERFLY" BIB TAP C/W 1/2" NOZZLE Stock Code: SHOWY-1755-000 or equivalent
	03	SHOWY-3110-3000 "HIGH-GRADE" METAL SINGLE LEVER SINK TAP. Stock Code: SHOWY-3110-001 or equivalent
Γ	CODE	SHOWER FAUCET
	01	SHOWY-3011-3001(R) "CAUSEWAY" 3-WAY LONG BATH MIXER C/W 3041 ABS ROUND SHOWER ROSE & 3039-SH HAND SHOWER Stock Code: SHOWY-3011-013 or equivalent
Г	CODE	PAPER HOLDER
	01	SHOWY-7067-000 "LUXI" S/S STAINLESS STEEL PAPER HOLDER or equivalent
	CODE	TOWEL BAR
	01	SHOWY-7142-000 SUS304 S/STEEL DOUBLE TOWEL BAR 600 x 120 x 55mm or equivalent
Г	CODE	MIRROR
	01	SHOWY-2998-000 480MM X 350MM SILVER COATED MIRROR or equivalent
Г	CODE	SHOWER SPRAY / WASHLET
	01	SHOWY-2480-011 "JOPAN" CHROME BIDET SPRAY C/W SHOWY-2453 120CM SILVER PVC HOSE & SHOWY-6322-000 "L" QUARTER-TURN ANGLE COCK WITH BIDET SPRAY HOLDER or equivalent
Г	CODE	SINK
	01	SHOWY-2948-000 "DAGENT" S/S LAY-ON LAUNDRY SINK (600 X 500 X 250MM) or equivalent
Ĺ	CODE	FLOOR TRAP
	01	SHOWY-2774-000 6" X 6" CHROME ALLOY ADAPTABLE FLOOR TRAP GRATING or equivalent

<u>NOTES:</u> BRAND MAY VARIES TO SUIT USER'S COMFORT AND THE ARCHITECT'S APPROVAL

### **MATERIAL SCHEDULE**

AREA	FLOOR			WALL						CEILING			ROOF			
	F1	F2	F3	F4	W1	W2	W3	W4	W5	W6	W7	C1	C2	C3	R1	R2
GROUND FLOOR	•															
APRON				•												
COMMON ROOM	•	•					•	•				•		•	•	•
COMMON ROOM (KITCHEN)	•	•	•		•	•			•	•	•	•		•	•	•
ROOM 1	•	•					•	•				•		•	•	•
ROOM 2	•	•					•	•				•		•	•	•
ROOM 3	•	•					•	•				•		•	•	•
ROOM 4	•	•					•	•				•		•	•	•
ROOM 5	•	•					•	•				•		•	•	•
T&B	•	•	•		•	•			•	•	•		•	•	•	•

ı	Printed:	21/9/2022 4:34:33 PM
ı	Paper size:	A3-LV
ı	Project Status	Schematic Design
ı	Project Date	18/08/2022
-		

Ш	No	Description	Date



KHA Arkitek P.O Box 272 MPC, Old Airport, Berakas BB3122

Contact No: 2610380

Architect's Signature

| Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image: Signature | Image:

Client Name and Approved by:

Department of Agriculture & Agrifood, BD

Project Name And Address

PROPOSED NEW 1 UNIT STANDARD DESIGN OF FARM LABOUR QUARTERS, BRUNEI DARUSSALAM (FOR 10 PERSONS)

Drawing Name

VENTILATION & MATERIAL SCHEDULE

Designed By	KHS	
Drawn By	KHS,SHA	
Checked By	AQI	
Scale	As indicated	
Date	08/27/22	
Project No	Sheet No	Rev.
PR120	F4	


CODE	FLOOR FINISHES		_
F1	300mm X 300mm homogeneous non-slip tile, colour and pattern to be decided by client	ŀ	_
F2	Grouting to Architect's approval		_
F3	Waterproofing Treatment or equivalent. All application shall be in accordance to manufacturer specification.		
F4	Cement Screed to level		
Notes: All	potentinally wet area shall be anti slip surface tiles	1	


WALL FINISHES
25mm Thick Plaster
Brick Wall
ICI paint to manufacturer specification or equivalent, colour and pattern to be decided by client
Light Gypsum Dry Wall
300mm x 300mm Ceramic tiles, colour and pattern to be decided by client
Bonding agent
Grouting to Architect approval
-


Notes: For External Walls,	dry wall complete with	metal framing; o	one side lined with gypsum	board and one side with	cement board.

CODE	CEILING FINISHES	
C1	12mm Gypsum board with metal framing. ICI paint to manufacturer specification, colour and pattern to be decided by client	
C2	6mm Cement board with metal framing	
C3	ICI paint to manufacturer specification or equivalentl	

	CODE	ROOF FINISHES
		Colour Lok clip-on system profile or equivalent with 0.53/054mm thickness including joists and purlins and accessories to manufacturer and installation specification, colour and pattern to be decided by client
	R2	Waterproofing , all application and installation shall be in accordance to manufacturer specification







**DETAIL 1 OF TYPICAL WALL PARTITION** SCALE: NTS

Printed:	3/9/2022 10:04:52 AM
Paper size:	A3-LV
Project Status	Schematic Design
Project Date	18/08/2022

Note

No	Description	Date



Contact No: 2610380

Architect's Signature

| Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Architect's Signature | Archi

Client Name and Approved by:

Department of Agriculture & Agrifood, BD


Project Name And Address


PROPOSED NEW 1 UNIT STANDARD DESIGN OF FARM LABOUR QUARTERS, BRUNEI DARUSSALAM (FOR 10 PERSONS)

Drawing Name


CUBICLE WALL PARTITION DETAILS

Designed By KHS			
Drawn By KHS,SHA			
Checked By	ecked By AQI		
Scale	As indicated		
Date	09/02/22		
Project No	Sheet No	Rev.	
PR120 G2			





TYPICAL DPC DETAILS (SOLID WALL)
SCALE 1:20




TYPICAL DPC DETAILS (DRY WALL) SCALE 1:20

NOTES: DRY WALL CAN BE OPTED FOR WALL SANDWICH PANEL TO THE MANUFACTURER'S DETAILS AND SPECIFICATIONS

\*For External Walls, dry wall complete with metal framing; one side lined with gypsum board and one side with cement board.

\*For Internal Walls, dry wall complete with metal framing; both sides lined



GUTTER DETAILS SCALE 1:2 
 Printed:
 21/9/2022 4:34:39 PM

 Paper size:
 A3-LV

 Project Status
 Schematic Design

 Project Date
 18/08/2022

Notes

No Description Date



Contact No: 2610380

Client Name and Approved by:

Department of Agriculture & Agrifood, BD

Project Name And Address

PROPOSED NEW 1 UNIT STANDARD DESIGN OF FARM LABOUR QUARTERS, BRUNEI DARUSSALAM (FOR 10 PERSONS)


Drawing Name

DOOR JAMB, TYPICAL DPC, GUTTER AND SURFACE DRAIN DETAILS

Designed By	KHS	
Drawn By	KHS,SHA	
Checked By	AQI	
Scale	As indicated	
Date	08/29/22	
Project No	Sheet No	Rev.
PR120	G4	

### DETAIL OF SURFACE DRAIN WITH HEAVY DUTY MS GRATING COVER

with gypsum board.



SCALE 1:20

VARIES

1000

50 X 8 mm THK. FLAT BAR @ 40 O.C

TOP DRAIN PLAN SCALE 1:20

Hemm		
DO	OR JAMB	

**DETAIL** 

SCALE 1:5

2100

1

R.C LINTEL

H.W ARCHITRAVE

H.W DOOR FRAME

H.W DOOR STOPPER

SCHEDULE

CARPET)

18MM X 50MM DECORATIVE

25MM X 50MM H.W BACKING


50MM X 150MM DECORATIVE

13MM X 50MM DECORATIVE

DECORATIVE SOLID TIMBER

DOOR REFER TO DOOR

FLOOR FINISH (TILE /



	ELECTRICAL SYMBOLS
	1X LED TUBE LIGHTING
	WALL LIGHTING (WALL MOUNTED & WEATHERPROOF LIGHT FIXTURE)
6	ONE GANG SINGLE TOGGLED SWITCH POINT
<b>\$</b>	ONE GANG TWO TOGGLED SWITCH POINT
\$	ONE GANG THREE TOGGLED SWITCH POINT
500mm	2 x 13A SOCKET OUTLET at 600mm HIGH ABOVE FINISHED FLOOR LEVEL. FOR EXTERNAL AREA, WATER PROOF BOX OR COVER SHALL BE USED
1556mm	2 x 13A SOCKET OUTLET at 1500mm HIGH ABOVE FINISHED FLOOR LEVEL. FOR EXTERNAL AREA, WATER PROOF BOX OR COVER SHALL BE USED
<b>#</b>	15A SWITCH SOCKET OUTLET
	CEILING FAN
E	ELECTRICAL DISTRIBUTION BOARD
M	PRE-PAID ELECTRIC METER
~ <del> </del>	300mm Dia. EXHAUST FAN PT. COME WITH FUSE CONNECTIOPN UNIT
177	TV SOCKET POINT

JPB SYMBOLS		
2.5KG (CO2) DRY EXTINGUISHER		
	FIRE BLANKET (1x1.2x1.8m)	
SD	SMOKE DETECTOR	
TELECOMMUNICATION SYMBOLS		
7	TELEPHONE OUTLET	
ATB	ACCESS TERMINATION BOX	
ТВ	TERMINATION BOX	
FIRST AID SYMBOLS		
₽	FIRST AID KIT BOX	

Printed:	9/14/2022 9:17:17 AM
Paper size:	A3-LV
Project Status	Schematic Design
Project Date	18/08/2022

Note

No	Description	Date



Contact No: 2610380

Architect's Signature

No. 65-pang 396-33-6Malan Jeruchorg

BG 3122

Registeration No: 00414Pan

Client Name and Approved by:

Department of Agriculture & Agrifood, BD

Project Name And Address

PROPOSED NEW 1 UNIT STANDARD DESIGN OF FARM LABOUR QUARTERS, BRUNEI DARUSSALAM (FOR 10 PERSONS)

Drawing Name

GROUND FLOOR ELECTRICAL LAYOUT PLAN

Designed By	KHS		
Drawn By	KHS,SHA		
Checked By	AQI		
Scale	1:100		
Date	09/02/22		
Project No	Sheet No	Rev.	
PR120	K1		

<b>GROUND FLOOR ELECTRICAL LAYOUT PLAN</b>

**SCALE 1:100** 

1:100 @ A3 0 2 5 10 m

Date

KHA Arkitek P.O Box 272 MPC, Old Airport, Berakas BB3122

